

An overview of my past and present research

Nils T. Basse^a

^a*Toftehøj 23, Høruphav, 6470 Sydals, Denmark*

October 22, 2017

Abstract

This document contains a broad overview of my past and present research activities.

Part of my work for the companies ABB, Siemens and Danfoss is confidential and not published. Where relevant for my research, I will mention the topics but refrain from details.

1. Danfoss: Components for refrigeration and air conditioning

At Danfoss, I am a CFD Expert working in the Technology and Innovation Department which is part of the R&D organization.

The main product is thermostatic expansion valves. A large pressure drop occurs across these valves, leading to a transition from a single- to a two-phase fluid.

The activities closest to research are Technology Explorations, where we build up competencies in new fields. The goal is to be able to differentiate ourselves from competitors and offer new-to-the-world products. Currently, I am the project leader of such an exploration in the field of acoustics; this involves both experiments and simulations.

Another part of the job is CFD simulations for (i) new products and (ii) maintenance of existing products.

2. Siemens: Flowmeters

I was working as a Senior Research Engineer at Siemens. A list of my activities can be found here [1].

Concerning research, I had two major activities:

Email address: `nils.basse@npb.dk` (Nils T. Basse)

1. Coriolis flowmeters
2. Pipe flow

2.1. Coriolis flowmeters

Coriolis flowmeters are often preferred for two-phase flow since they are performing well relative to other technologies such as ultrasonic or electromagnetic flowmeters.

However, Coriolis flowmeters suffer from both measurement errors and damping due to two-phase flow.

Based on the "bubble theory" of Dr. John Hemp [2], I have reviewed the predicted measurement errors [3]. The theory has been compared to measurements [4].

The damping of Coriolis flowmeters has been studied in [5]. We found that the damping theory can also be used to understand research relevant for the nuclear industry [6].

2.2. Pipe flow

In [7], we have investigated the mean velocity and turbulence intensity of pipe flow using a combination of measurements [8] [9], semi-empirical modelling [10] and CFD simulations [11].

Our goal was to document the scaling of turbulence intensity with Reynolds number - this had not been done before.

The study in [7] was for smooth-walled pipes; subsequently, I did private research on the turbulence intensity scaling for rough-walled pipes [12].

2.3. Non-published research work

- Flow conditioning in flow rigs using a combination of hole plates, swirl plates, orifice plates and contractions. Comparison of CFD simulations with measurements.
- Scaling of turbulence intensity for high-speed (up to Mach 0.8) gas flow in Coriolis flowmeters.
- The water hammer effect in flow rigs.

3. ABB: Circuit breakers

I was working as a Scientist (later, Principal Scientist) at ABB. A list of my activities can be found here [13].

3.1. Turbulent mixing

My main research topic was turbulent mixing studied using optical measurements [14, 15, 16] and compared to CFD simulations [17]. I also did some work on comparing measured and simulated pressure [18].

The optical measurements were a revival of work done at ABB in the seventies. The work had stopped, but optical components and low power HeNe lasers were available. It was a good opportunity for me to use the optics background I have from my Ph.D. and postdoc. A new CMOS camera was bought which was used as a detector. We built transparent circuit breaker models in PMMA. The camera measurements were used to track turbulent structures to extract the velocity field.

3.2. Non-published research work

- Modelling and optimization of systems using a combination of mechanics, thermodynamics and electromagnetic forces. Comparison to measurements.
- Measurements and simulations of current interruption performance.
- Measured pressure oscillations in different circuit breaker geometries.
- Schlieren imaging of vacuum interrupter arcs.
- Influence of nozzle geometry and contact material on current interruption performance.
- High temperature tests of pressure sensors.
- Arc dynamics.

4. Research on magnetically confined fusion plasmas

4.1. Postdoc

As a postdoc, my main activity was work on optical turbulence measurements using phase-contrast imaging (PCI). Measurements were made in the Alcator C-Mod tokamak which is situated on the MIT campus. I participated in upgrading the PCI diagnostic, including a new CO₂ laser and data acquisition system.

In parallel I began to upgrade the reflectometry diagnostic. As the PCI system, reflectometry also measures density fluctuations. From 2004, I began supervising a graduate student who took over the reflectometry diagnostic.

An overview of my work on the PCI and reflectometry systems can be found in [19].

My general interest in fusion diagnostics led to the review paper on the Alcator C-Mod tokamak diagnostic systems [20].

We used measurements from the PCI system to compare to gyrokinetic simulations made using GS2 [21]. A synthetic diagnostic was created to post-process the GS2 simulations and make a direct comparison of measurements and simulations. The trapped electron mode instability was predicted by GS2 and this reproduced the measurements quite well.

A more operational task during my stay at MIT was to develop a control system for the new lower hybrid current drive system being brought online. This also included work to setup a camera to observe the grill [22].

Finally, similarities between wavenumber spectra in fusion plasmas and on cosmological scales motivated me to pursue a cross-disciplinary activity: Density fluctuations on mm and Mpc scales [23, 24, 25]. For comparable work using laser plasmas, see [26] and references therein.

4.2. Ph.D.

As a Ph.D. student, I was working on optical turbulence measurements using collective scattering [27]. The measurements were made in the Wendelstein 7-AS stellarator at IPP-Garching [28].

The main reason for the work was to find connections between turbulence and plasma confinement; it is believed that turbulence plays an important part in the transport of energy and particles across the magnetic field confining the plasma.

Both spontaneous and controlled confinement transitions were studied, to a large extent using spectral analysis tools. The effort included cross-correlation between different turbulence diagnostics (e.g. magnetic and density fluctuations) and comparison of measured wavenumber spectra to the Kolmogorov theory of fluid turbulence [29, 30, 31, 32, 33].

I also wrote a review of the theory of collective light scattering [34].

At the time of my thesis, there was work on simulations of relevance to my experiments [35]. This was on electron temperature gradient driven instabilities which were predicted to exist at the very small scales measured by collective scattering.

4.3. M.Sc.

My work in fusion plasmas began at the JET tokamak at the Culham Science Centre in the UK.

There, I modelled neutron emissivities from the plasmas by comparing measurements from two diagnostics: Neutron measurements and charge exchange recombination spectroscopy [36]. The idea behind was to understand

what was called the neutron discrepancy, i.e. differences in neutron production rates observed when cross-checking diagnostics.

During my studies I became involved in trace tritium experiments at JET [37, 38].

5. Astronomy

During my undergraduate studies, my two main projects dealt with astronomy.

My first year project was on the motion of the V1031 Orionis star system [39].

My bachelor thesis was written on the magnetic properties of the dust on Mars, specifically on systems installed on Mars Pathfinder [40].

References

- [1] Siemens reference letter; 2016. [Online]
<http://www.npb.dk/cv/basse_Siemens_ref_lett.pdf >
- [2] Hemp J. Reaction force of a bubble (or droplet) in a liquid undergoing simple harmonic motion; 2003. p. 1-13. Unpublished.
- [3] Basse NT. A review of the theory of Coriolis flowmeter measurement errors due to entrained particles. *Flow Meas Instrum* 2014;37:107-118.
- [4] Basse NT. A review of the theory of Coriolis flowmeter measurement errors due to entrained particles. 10th European Fluid Mechanics Conference, DTU, 2014.
- [5] Basse NT. Coriolis flowmeter damping for two-phase flow due to decoupling. *Flow Meas Instrum* 2016;52:40-52.
- [6] Charreton C et al. Two-phase damping for internal flow: physical mechanism and effect of excitation parameters. *J Fluids Struct* 2015;56:5674.
- [7] Russo F and Basse NT. Scaling of turbulence intensity for low-speed flow in smooth pipes. *Flow Meas Instrum* 2016;52:101-114.
- [8] Princeton Superpipe; 2017. [Online]
<<https://smits.princeton.edu/superpipe-pitot-data> >
- [9] Princeton Superpipe; 2017. [Online]
<<https://smits.princeton.edu/superpipe-turbulence-data> >
- [10] Gersten K. Fully developed turbulent pipe flow. In: *Fluid mechanics of flow metering*, edited by Merzkirch W. Berlin, Germany: Springer; 2005.
- [11] ANSYS CFX reference guide, Release 15.0; 2013.
- [12] Basse NT. Turbulence intensity and the friction factor for smooth- and rough-wall pipe flow. *Fluids* 2017;2:30.
- [13] ABB reference letter; 2011. [Online]
<http://www.npb.dk/cv/basse_ABB_ref_lett.pdf >
- [14] Basse NPT et al. Measured turbulent mixing in a small-scale circuit breaker model. *Applied Optics* 2009;48:6381-6391.

- [15] Basse NT et al. Measured 3D turbulent mixing in a small-scale circuit breaker model. *Journal of Physics D: Applied Physics* 2011;44:245201.
- [16] Wiget R, Lundqvist F and Basse NT. Focused shadowgraphy in the heating volume of a high-voltage gas circuit breaker. *IEEE Transactions on Plasma Science* 2011;39:2852-2853.
- [17] Bini R, Basse NT and Seeger M. Arc-induced turbulent mixing in an SF6 circuit breaker model. *Journal of Physics D: Applied Physics* 2011;44:025203.
- [18] Basse NP et al. Quantitative analysis of gas circuit breaker physics through direct comparison of 3D simulations to experiment. *IEEE Transactions on Plasma Science* 2008;36:2566-2571.
- [19] Basse NP et al. Characterization of core and edge turbulence in L- and enhanced D-alpha H-mode Alcator C-Mod plasmas. *Physics of Plasmas* 2005;12:052512.
- [20] Basse NP et al. Diagnostic systems on Alcator C-Mod. *Fusion Science and Technology* 2007;51:476-507.
- [21] Ernst DR, Basse N et al. Identification of TEM turbulence through direct comparison of nonlinear gyrokinetic simulations with phase contrast imaging density fluctuation measurements. 21st IAEA Conference, Chengdu, 2006.
- [22] Basse NP et al. Control and data acquisition system for lower hybrid current drive in Alcator C-Mod. 15th Topical Conference on Radio Frequency Power in Plasmas, Moran, 2003.
- [23] Basse NP. Density fluctuations on mm and Mpc scales. *Physics Letters A* 2005;340:456-460.
- [24] Basse NP. A study of multiscale density fluctuation measurements. *IEEE Transactions on Plasma Science* 2008;36:458-461.
- [25] New Scientist article; 2005. [Online]
<<https://www.newscientist.com/article/mg18625034-100-plasma-in-reactors-echoes-distribution-of-galaxies>>
- [26] Meinecke J et al. Developed turbulence and nonlinear amplification of magnetic fields in laboratory and astrophysical plasmas. *PNAS* 2015;112:8211-8215.

- [27] Saffman M, Zoletnik S, Basse NP et al. CO2 laser based two-volume collective scattering instrument for spatially localized turbulence measurements. *Review of Scientific Instruments* 2001;72:2579-2592.
- [28] Basse NP. Turbulence in Wendelstein 7-AS Plasmas Measured by Collective Light Scattering; 2002. Ph.D. thesis.
- [29] Basse NP et al. Low- and high-mode separation of short wavelength turbulence in dithering Wendelstein 7-AS plasmas. *Physics of Plasmas* 2002;9:3035-3049.
- [30] Basse NP et al. Spatial distribution of turbulence in the Wendelstein 7-AS stellarator. *Plasma Sources Science and Technology* 2002;11:A138-A142.
- [31] Basse NP et al. Turbulence at the transition to the high density H-mode in Wendelstein 7-AS plasmas. *Nuclear Fusion* 2003;43:40-48.
- [32] Basse NP et al. Characterization of turbulence in L- and ELM-free H-mode Wendelstein 7-AS plasmas. *Plasma Physics and Controlled Fusion* 2003;45:439-453.
- [33] Basse NP et al. Study of intermittent small-scale turbulence in Wendelstein 7-AS plasmas during controlled confinement transitions. *Physics of Plasmas* 2005;12:012507.
- [34] Basse NP et al. Small-angle scattering theory revisited: Photocurrent and spatial localization. *Physica Scripta* 2005;71:280-292.
- [35] Jenko F and Kendl A. Stellarator turbulence at electron gyroradius scales. *New Journal of Physics* 2002;4:35.1-35.12.
- [36] Basse NP. Modelling of Neutron Emissivities at JET Using Charge Exchange Spectroscopic Data; 1998. M.Sc. thesis.
- [37] Loughlin MJ, Watkins N, Adams MJ, Basse N et al. Neutron profile measurements for trace tritium experiments. *Review of Scientific Instruments* 1999;70:1123-1125.
- [38] Matthews GF, Zastrow K-D, Andrew P, Basse NP et al., Trace tritium and the H-mode density limit. *Journal of Nuclear Materials* 1999;266-269:1134-1138.
- [39] Andersen J et al. Absolute dimensions of eclipsing binaries. XVI - V 1031 Orionis. *Astronomy and Astrophysics* 1990;228:365-378.

- [40] Madsen MB et al. The magnetic properties experiments on Mars Pathfinder. *Journal of Geophysical Research* 1999;104:8761-8779.